



SITMATIC®

BETA™



HIGH PERFORMANCE ERGONOMIC SEATING.

Versatility and value in professional quality ergonomic seating.

BETA FEATURES

Slouching or Perching

Backrest angle adjustment fine tunes the back support to your personal habits.

Intuitive Lumbar Support

Finger tip lever locks where you put it. No other chair adjusts 6".

The Perfect Height

Seat heights for any size individual. Five different seat heights, ranging between 15" and 34", ensure a perfect fit for everyone at every workstation.



PressureCast™ Cushions

Using a special formulation and cast under high pressure, PressureCast™ foam is incredibly resilient for comfort, yet high-density for longevity.

Complete Back Support

Thoracic and sacral cradles merge into a gentle lumbar crest.

Neck & Shoulder Relief

4" of height adjustment, 4" of width adjustment and optional rotation and depth adjustment customizes elbow support to your unique size.

Relaxing Motion

Synchronized control that allows your body to open as you recline. Rocking ease and rate of recline are adjusted by easy-turn dial.

Better Mobility

Oversized, 60 mm casters roll easily through plush carpet. Riveted for life-long durability. The aluminum base is cast as a single piece with no welds to break. A convenient foot perch is built-in to each base prong.

THE BETA FAMILY



MID BACK

061 (Armless)

Unmatched, no frills support and comfort in a compact, space-saving, multi-purpose chair.



MEDIUM HIGH BACK

063 (Shown with 6K arms)

Medium to small scale ergonomic seating. Thoughtfully designed with an array of complementary options for smaller frames and statures.



SUPER BETA

073 (Shown with 1A arms)

The Super Beta, with its generous 21" wide seat upgrade and high backrest, can adjust to fit 90% of your workforce. There is no better choice.



MEDIUM & TALL STOOLS

065 & 064 (Adjustable footring standard)

For laboratory or counter height tasks. Two stools; medium and tall heights, both include a height adjustable footring.



EXTRA SMALL SCALE

063SY PS NC LB 1M (Popular configuration)

Featured options include the 16" x 16" petite seat option, nano seat height of 15¼" - 18" (from floor), lower armrest height and extra wide arm caps.



EXTRA LARGE SCALE

073SY XW 1N (Popular configuration)


Featured options include the roomy 24" wide x 22" deep extra wide seat and a 28" diameter extreme duty base for added strength and stability.

BETA TECHNICAL SPECS

CONTROL FUNCTIONS

SY


Advanced Synchron




Height adjustable.



6" backrest height adjustment.



Tension adjustable, synchronized rocking, lockable in 5 different positions.




2½" seat depth adjustment.



10° independent back angle adjustment.

SN


Sync™




Height adjustable.



6" backrest height adjustment.



Tension adjustable, synchronized rocking, lockable in 5 different positions.



2½" seat depth adjustment.

OT

OneTouch™




Height adjustable.



6" backrest height adjustment.



Non-Rocking. Independent seat & back angle adjustment.



Optionally available. 2½" seat depth adjustment.

MF

MultiFunction




Height adjustable.




6" backrest height adjustment.



Tension adjustable, rocking, lockable in 5 different positions.



2½" seat depth adjustment.




Seat angle adjustment.



Back angle adjustment.


OVERALL DIMENSIONS



061

Beta Mid Back


Seat height for chairs w/ SY, SN, MF controls and OT control w/ optional SS. Reduce height by 2¼" for OT control w/ no SS specified.



063

Beta Medium High Back


Seat height for chairs w/ SY, SN, MF controls and OT control w/ optional SS. Reduce height by 2¼" for OT control w/ no SS specified.



073

Super Beta


Seat height for chairs w/ SY, SN, MF controls and OT control w/ optional SS. Reduce height by 2¼" for OT control w/ no SS specified.



065

Medium Stool w/ Height Adjustable Footring

Seat height for chairs w/ SY, SN, MF controls and OT control w/ optional SS. Reduce height by 2¼" for OT control w/ no SS specified.



064

Tall Stool w/ Height Adjustable Footring

Seat height for chairs w/ SY, SN, MF controls and OT control w/ optional SS. Reduce height by 2¼" for OT control w/ no SS specified.



BETA CUSTOM FIT OPTIONS

For more information about custom fit options, please contact customer service at (800) 288-1492.


BACKREST ADD-ONS



AL
Inflatible Air Lumbar



TH
Inflatible Thoracic Bolster



HR
Upholstered Headrest
Height & Angle Adjustable Headrest
Available on 063 & 073 models only.




UB
Upholstered Backrest Shell
Not available in vinyl or leather.
Requires 1 yd. COM.




EB
Extended Back Upgrade
Upgrades to the next backrest size up.
Available for 063, 064 & 065 only.

SEAT SIZES & SHAPES




ES
Extended Seat Upgrade
21" wide x 19" deep
Standard seat on 073 model.




LS
Longer Seat
2" deeper than standard.



PS
Petite Seat
16" wide x 16" deep



SH--
Shallower Seat
Shallower seat than standard.
SH20 (2" shallower), SH25 (2½" shallower), SH30 (3" shallower).




WS
Work Seat
18½" wide x 14½" deep


SEAT ADD-ONS




VS
Memory Foam Seat
1" memory foam seat topper.




TS
Tailbone Seat Cut-Out
Coccyx relief; includes (VS) option.



SS
Seat Slider
Seat depth adjuster; 2½" range.
Standard on SY, SN & MF controls.




LR
Leg Rest
Stows away under seat.
Available on seats w/ LS option only.




FT--
Forward Tilt
Spacers Create Initial Forward Seat Tilt
FT08 (+2.3°), FT12 (+3.4°),
FT16 (+4.6°), FT20 (+5.7°).


SEAT HEIGHT OPTIONS




NC
Nano Seat Height
15¼" - 18"
-2¼" for OT mechanism, no SS.




STANDARD
Standard Height
16¾" - 21¼"
-2¼" for OT mechanism, no SS.



XC
Extended Seat Height
19½" - 26¾"
-2¼" for OT mechanism, no SS.



MC
Medium Stool Height
22¼" - 30"
-2¼" for OT mechanism, no SS.




TC
Tall Stool Height
24¾" - 35"
-2¼" for OT mechanism, no SS.

BETA CUSTOM FIT OPTIONS


For more information about custom fit options, please contact customer service at (800) 288-1492.

ARMREST OPTIONS


If armrests are desired, choose an armrest, then choose an arm cap (Example: 1M).



1-
Height, Width & Angle Adjustable Arms
Shown w/ (A) Contoured Urethane Caps Standard
Specify **1N** to disable arm rotation.



6-
Height Adjustable, Fold-Away Arms
Shown w/ (K) Kidney-Shaped Urethane Caps Standard
No width adjustment.



7-
Height & Width Adjustable, Forward Slanting Arms
Shown w/ (K) Kidney-Shaped Urethane Caps Standard

ARM CAP OPTIONS

If armrests are desired, choose an armrest, then choose an arm cap (Example: 1M).




A
Contoured Urethane Caps
Standard on 1A & 1N arms.




K
Kidney-Shaped Urethane Caps
Standard on 7K and 6K arms.



M
Memory Foam Caps
Extra Wide, Tapered
Not compatible w/ fold-away arms.




L
Lockable, Urethane Caps
Width, Angle & Depth Adjustable




U
Depth & Pivoting Memory Foam Caps


BASE OPTIONS




AB
Polished Aluminum Base
24" Diameter
Standard base is black, powder coated aluminum.




NB
Nylon Base
24" Diameter



XA
Extended Aluminum Base
28" Diameter



FR
Footring
Height Adjustable, 20" Diameter
Standard on 065 & 064 models.
Specify **XF** for a 24" diameter ring.



SR
Heavy Duty Standing
Height Adjustable, 21" Diameter
Available for 065 & 064 models only.
Specify **XS** for a 24" diameter ring.

CASTER OPTIONS



PC
Parquet, Hard Floor Casters
Soft Outer Tread




BP
Braking, Hard Floor Casters
Anti-Runaway, Locks When Unloaded



BC
Braking, Carpet Casters
Anti-Runaway, Locks When Unloaded



GL
Glides



ML
Manual Locking Casters
Lockable w/ Switch



SITMATIC®

Exceptional Range of Seating Solutions



Management, Executive and Conference Seating



Highly Ergonomic Seating



Occasional and Stacking Chairs



Auditorium and Public Area Seating

For further information on our comprehensive range of seating please visit our website or call our toll free number. Specifications are subject to change without notice.

Sitmatic

1800 Raymer Avenue
Fullerton, California 92833

Tel: 800.288.1492
714.888.2500

Fax: 714.888.2505

E-Mail: Info@Sitmatic.com

Website: www.sitmatic.com



Sitmatic seating is covered by our comprehensive lifetime structural warranty. Specifications are subject to change without notice.



Sitmatic seating has passed the stringent testing procedures established by; ANSI/BIFMA and CAL 117.



Sitmatic literature is printed on certified recycled paper and paper from well-managed forests and controlled sources.



Green Check Certified

Our products are certified compliant for LEED-CI indoor environmental air quality. Choosing Sitmatic chairs for your work place contributes to a cleaner, safer, more sustainable environment.