



StyleView: Point-of-Care and Everywhere

Our latest StyleView® solutions:
industry-leading carts
and point-of-care wall mounts



Mounting and
Mobility Solutions
for Your Entire Facility



**JUST
STAND
.ORG**

Point-of-care and everywhere

Healthy computing starts with understanding the diverse needs required to bring EMR, eMAR, PACS and CPOE to the point of care. With almost 30 years experience in creating ergonomic solutions for computer users worldwide, and 20 years in healthcare alone, Ergotron is uniquely qualified to help you configure options and design workstations that fit workflow throughout the entire facility.

Collaborate with dedicated healthcare leadership and caregiving professionals worldwide

Choose from a broad solutions-based portfolio offering ease of motion, true ergonomic designs, and space-saving technologies

Configure options to design workstations that fit your workflow throughout the entire facility




See how Ergotron products are used every day.
Healthcare Interactive Virtual Tour
healthcare.ergotron.com



200 Series Combo Arm

LX Wall Mount System

Part # (color)	45-230-216 (white) 45-230-200 (black)	Universal CPU Holder (silver): 45-247-026 (polished aluminum) Vertical Small CPU Holder (black): 45-253-026 (polished aluminum)
Includes	200 Combo Arm, wall mount bracket, height-adjustable LCD mount, wrist rest, scanner and mouse holder, integrated keyboard tray with left/right mouse tray, handle, manual, VESA mounting kit, cable ties	LX Wall Mount LCD Arm, LX Keyboard Arm, CPU Holder and 10" (25,4 cm) Wall Track, wrist rest, mouse holder, 34" (86,4 cm) Wall Track, two (2) 10" (25,4 cm) cable channels, anchor hardware kit
Typical LCD Size	≤ 24"	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
Weight Capacity	LCD 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 5 lbs (2,3 kg)	LCD 7–20 lbs (3,1–9,1 kg) Monitor depth may affect weight capacity. See website for details Keyboard ≤ 5 lbs (2,3 kg) CPU ≤ 40 lbs (18 kg)
Lift	5" (13 cm)	LCD 13" (33 cm) Keyboard 13" (33 cm)
Tilt	LCD 30° ↑ 25° / ↓ 5° Negative-tilt keyboard tray adjustable 10°	LCD 75° ↑ 70° / ↓ 5° Keyboard 80°
Pan	360°	360°
Rotation	360° Portrait to landscape screen rotation	90° Portrait to landscape screen rotation
VESA	MIS-D	MIS-D
Depth	Folds to 12.1" (31 cm)	Folds to 5.3" (13,4 cm)
Extension	≤ 39" (99 cm)	LCD ≤ 25" (64 cm) Keyboard ≤ 35" (89 cm)
Warranty	5 years	5 years



Triangle of Care

Create the connection between you, your patient and their information



See "Ergotron StyleView: A Healthy Groove" movies.ergotron.com

Ergotron products allow computer systems to be easily and ergonomically positioned for any user. The effect? Minimizing space requirements and maximizing efficiency.

- **Ease of motion** – quick adjustment; easily maneuver to the point-of-care
- **True ergonomic designs** – create a comfortable work environment for you
- **Space-saving technologies** – place equipment where needed

OSHPD
Office of Statewide Health Planning and Development

Ergotron's wall mount products received OSHPD OPA Pre-approval numbers for mounting in hospitals and healthcare facilities throughout California on October 13, 2009. These standards help ensure patient safety during an earthquake and help make it possible for facilities to continue to function and care for the injured after an earthquake.

OPA #	Applicable wall mount solution/configuration
2338-07	Wall Track and all possible associated arms – direct to stud (16" on center)
2339-07	Wall Track and all associated arms (including StyleView Vertical Lift) – external mount
2341-07	StyleView Vertical Lift – internal mount
2340-07	StyleView Enclosure – direct to stud (16" on center)

To learn more about Ergotron's commitment to OSHPD compliance visit www.ergotron.com.



StyleView Sit-Stand Enclosure





StyleView VL Enclosure

Part # (color)	60-610-062 (white) 60-610-060 (black)	60-595-062 (white)
Includes	Enclosure, velcro kit (attaches keyboard to keyboard tray), cable management wrap, antimicrobial wrist rest. Wall footprint 38.2"H x 26.6"W (97 x 67,5 cm)	Enclosure, wall plate, mounting template, vertical lift, slide-out keyboard tray, wrist rest, mouse pouch, scanner holder, internal cable management, batteries, monitor mounting hardware, wall mounting hardware, keys
Typical LCD Size	≤ 22" Maximum monitor physical dimensions 20.5"W x 13.5"H x 2.5"D (52.1 x 34.3 x 6.4 cm). Monitor depth greater than 2.5" (6.4 cm) is allowable, however screen will protrude beyond profile of unit in such cases	≤ 22" Maximum monitor physical dimensions 20.7" W x 14.7" H x 2.8" D (52.6 x 37.3 x 7 cm). Assumes VESA hole pattern is centered on the back of the display
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
Weight Capacity	≤ 39 lbs (17,7 kg) Listed weight capacity represents total load. CPU 3–10 lbs (1,4–4,5 kg); monitor 7–12.5 lbs (3,2–5,7 kg); keyboard and worksurface 0.5–1.5 lbs (0,2–0,7 kg)	8–33 lbs (3,6–14,9 kg) Listed weight capacity represents total load, including monitor and contents of keyboard tray, mouse pouch and scanner holder. Maximum load capacity: monitor pivot 18 lbs (8,2 kg); CPU compartment 20 lbs (9,1 kg); door/worksurface 50 lbs (22,6 kg)
Lift	20" (51 cm)	9" (23 cm)
Tilt	—	—
Pan	—	LCD 10° Display size may restrict motion. Keyboard 120°
Rotation	—	—
VESA	MIS-D	MIS-D
Depth	3.8"D (9,7 cm) closed 19.3" (48,9 cm) open	6.75"D (17 cm) closed 20.6" (53 cm) open
Extension	—	—
Warranty	5 years 1-year warranty on all electronic components (excludes AA batteries)	5 years 1-year warranty on all electronic components (excludes AA batteries)


Worksurface with pull-out keyboard tray facilitates caregiver workflow



- ① Patented CF lift-and-pivot motion technology provides premium 25" (63,5 cm) LCD height adjustment, portrait-to-landscape rotation and 30° tilt
- ② Durable, easy-to-clean exterior composed of aluminum, high-grade plastic
- ③ Integrated mouse and barcode scanner holder provide easy access
- ④ Fold-down worksurface/keyboard tray to support workflow needs. Worksurface is 22.75"W x 10.6" D (57,8 x 26,9 cm). Keyboard tray is 18.6"W x 9"D (47,2 x 22,8 cm)
- ⑤ Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position during data entry
- ⑥ Clean, concealed and neat routing of cables through the expansive cable management system
- ⑦ Extend LCD and keyboard up to 43" (109 cm) from wall; fold equipment back out of the way when not in use. With worksurface in storage position, system depth is as little as 8" (20,3 cm). With keyboard in storage position, system depth is as little as 12" (30,5 cm)
- ⑧ Optional Extender Arm (45-261-026) increases range of motion for even greater reach

	 StyleView Sit-Stand Combo Arm with Worksurface	 StyleView Sit-Stand Combo Arm	 StyleView Sit-Stand Combo System with Worksurface	 StyleView Sit-Stand Combo System
Part # (color)	(polished aluminum) Combo Arm: 45-260-026	(Available with black head-assembly only, polished aluminum) Combo Arm: 45-266-026	(polished aluminum) Combo Arm, medium CPU holder and wall track: 45-270-026 Combo Arm, small CPU holder and wall track: 45-272-026	(polished aluminum) Combo Arm, medium CPU holder and wall track: 45-271-026 Combo Arm, small CPU holder and wall track: 45-273-026
	Extender Arm (optional) 45-261-026 (polished aluminum)	Extender Arm (optional) 45-261-026 (polished aluminum)	Extender Arm (optional) 45-261-026 (polished aluminum)	Extender Arm (optional) 45-261-026 (polished aluminum)
Includes	Combo Arm with worksurface, wall mount bracket, track mount bracket kit, height-adjustable LCD mount, wrist rest, scanner and mouse holder, worksurface with integrated keyboard tray, VESA monitor mounting kit, cable ties	Combo Arm, wall mount bracket, track mount bracket kit, height-adjustable LCD mount, wrist rest, scanner and mouse holder, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties	HD Combo Arm with worksurface, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray, handle, VESA monitor mounting kit, cable ties	HD Combo Arm, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties
Typical LCD Size	≤ 24"	≤ 24"	≤ 24"	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>				
Weight Capacity	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock-out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg)	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface; 45-270-026: CPU 50 lbs (22,7 kg) 45-272-026: CPU 40 lbs (18 kg)	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock-out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg); 45-271-026: CPU 50 lbs (22,7 kg) 45-273-026: CPU 40 lbs (18 kg)
Lift	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)
Tilt	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°
Pan	360°	360°	360°	360°
Rotation	90° Portrait to landscape screen rotation	360° Portrait to landscape screen rotation	90° Portrait to landscape screen rotation	360° Portrait to landscape screen rotation
VESA	MIS-D	MIS-D	MIS-D	MIS-D
Depth	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)
Extension	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)
Warranty	5 years	5 years	5 years	5 years






StyleView Sit-Stand Combo System
with Worksurface and Extender Arm folds to 8" (20,3 cm)



StyleView HD Combo System



Part # (color)	Universal CPU Holder (silver): 45-216-216 (white)
	Vertical Small CPU Holder (black): 45-252-216 (white)
Includes	18" Extender Arm (optional) 45-255-216 (white)
	HD Combo Arm, 34" Wall Track with (2) black track covers, CPU Holder, (2) 10" cable channels, track anchor hardware kit, CPU and Arm track mount bracket kits, Wall Track fasteners for hollow walls/concrete/wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties
Typical LCD Size	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>	
Weight Capacity	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 5 lbs (2,3 kg)
Lift	LCD and keyboard adjusts 15" (38 cm) in tandem; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 20" (51 cm)
Tilt	LCD 30° ↑ 25° / ↓ 5° Keyboard 10°
Pan	360°
Rotation	360° Portrait to landscape screen rotation
VESA	MIS-D
Depth	Folds to 12" (30 cm)
Extension	≤ 39" (99 cm)
Warranty	5 years



Part # (color)	45-299-026 (polished aluminum)	45-296-026 (polished aluminum)
Typical LCD Size	19–26"	30–60"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
Weight Capacity	6–20 lbs (3,2–9,1 kg)	18–40 lbs (8,2–18,2 kg)
Lift	13" (33 cm)	20" (51 cm)
Tilt	75° ↑ 70° / ↓ 5°	25° ↑ 10° / ↓ 15°
Pan	180°	180°
Rotation	360°	10° ↑ 5° / ↓ 5°
VESA	75 x 75 to 200 x 200	200 x 100 to 600 x 400
Depth	3.9" (9,9 cm)	5.5" (14 cm)
Extension	16.6" (42 cm)	24" (61 cm)
Warranty	5 years	5 years



 See how you will benefit from our years of digital display mounting and mobility innovation in healthcare environments. healthcare.ergotron.com



StyleView Vertical Lift Patient Room **StyleView Vertical Lift High Traffic Areas** **Vertical Lift Auto-Retracting Keyboard Kit**

Part # (color)	60-609-216 (white) 60-609-195 (black), available Americas	60-593-216 (white), available Americas 60-593-195 (black), available Americas	97-487-800 (black/white/grey), available Americas Vertical Lift High Traffic models only
Includes	Vertical Lift, slide out panning keyboard tray, mouse pad (built into keyboard tray) wrist rest, mouse pouch, mouse and scanner holder	Vertical Lift, mouse pad, wrist rest, mouse pouch	Keyboard tray lift assembly, wrist rest, multiple covers (grey, black, white), Velcro and adhesive strips
Optional Accessories: Vertical CPU Holder 97-468-202 (silver); Vertical Small CPU Holder 80-063-200 (black)			
Typical LCD Size	≤ 24"	≤ 24"	—
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	8–33 lbs (3,6–14,3 kg)	5–30 lbs (2,3–13,6 kg)	.75–2.5 lbs (0,34–1,13 kg)
Lift	9" (23 cm)	9" (23 cm)	—
Tilt	LCD 10° Back-tilt keyboard tray 10°	LCD 10° Back-tilt keyboard tray 10°	—
Pan	50° Display size may restrict motion Keyboard 120°	—	—
Rotation	—	—	—
VESA	MIS-D	MIS-D	—
Depth	Folds to 4.5" (11,4 cm)	Folds to 4" (10,2 cm)	—
Extension	18.8" (47,9 cm)	12" (30,5 cm)	—
Warranty	5 years	5 years	5 years

Smart point-of-care mounting and mobility solutions for your entire facility

Implement cost effective solutions while maintaining the highest standards of quality patient point-of-care. Ergotron is committed to manufacturing mount and mobility products packed with the features you need, helping you make the most of your EMR software and systems investments.

Superior ergonomics and maneuverability for the largest range of nurses

Our extensive line of Electronic Medical Record (EMR) and Patient Healthcare Delivery (PHD) StyleView carts leverage 20 years of experience in healthcare.



See "StyleView: Fit for Every Body" movies.ergotron.com



**Certified.
Lightweight.
Ultrafast recharge.
Long battery LiFe.**



Why choose a StyleView Cart powered with Lithium Iron Phosphate (LiFe)?

Extremely lightweight and adjustable

The LiFe power system combines with StyleView's ergonomic adjustability to decrease caregiver fatigue and enhance overall wellness and productivity

Ultrafast recharge ensures caregiver and cart uptime

A full recharge from full discharge can be completed in around two hours for typical loads. Less charging = more caregiving!

Long battery 'LiFe' minimizes time and cost for maintenance and replacement

Proven to achieve thousands of cycles per lifetime and to last several years in a typical healthcare setting

Safe and certified

For patient and caregiver safety, the power module on all carts is certified to UL 60601-1. In addition, FULL power system and cart certification is complete for North America, and in progress for International SV42.

Includes FREE StyleLink with enterprise capabilities

Install, access and manage your StyleView power systems from a remote location across WAN, LAN, or VPN

Proven safe battery chemistry

Through extensive testing, Lithium Iron Phosphate is proven to be a very safe battery chemistry

		EMR Carts Electronic Medical Records			
		Non-powered		Powered: LiFe (Lithium Iron battery) OR SLA (Sealed Lead Acid battery)	
LCD Carts					
	①	②	③	④	
	EMR LCD Pivot Non-powered	EMR LCD Arm Non-powered	EMR LCD Pivot Powered	EMR LCD Arm Powered	
Laptop Carts					
	⑤	⑥	⑦		
	EMR SV40 Laptop Non-powered	EMR Laptop Non-powered	EMR Laptop Powered		

Attractive, lightweight and ergonomic, these carts meet the individual needs of the caregiver while supporting the application-specific needs of point-of-care.

PHD Carts Patient Healthcare Delivery

Non-powered

Powered: LiFe (Lithium Iron battery)
or SLA (Sealed Lead Acid battery)



8

PHD LCD
Non-powered
1 drawer



9

PHD LCD
Powered
1 drawer



10

PHD LCD
Powered
2 drawer



11

PHD LCD
Powered
4 drawer



12

PHD LCD
Powered
6 drawer



13

PHD Laptop
Non-powered
1 drawer



14

PHD Laptop
Powered
1 drawer



15

PHD Laptop
Powered
2 drawer



16


PHD Laptop
Powered
4 drawer



17

PHD Laptop
Powered
6 drawer

Improved workflow for nurses



See "StyleView: A Cart for Every Need" movies.ergotron.com

	Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA	
LiFe Powered	EMR LCD LiFe Powered	≤ 22"	≤ 29 lbs (13,2 kg)	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Includes one-battery 40 Ah power system, 10-foot coiled cord, two hospital-grade AC outlets, power system user interface, StyleLink™ software, secure CPU compartment							
	EMR Laptop LiFe Powered	≤ 17"	≤ 18 lbs (8 kg)	20" (51 cm)	—	—	—	—
EMR LiFe Cart features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking) Warranty: five (5) years for cart, two (2) years on all power supply components; five (5) years on LiFe battery, including two-year capacity guarantee								
SLA Powered	EMR LCD SLA Powered	≤ 22"	≤ 35 lbs (16 kg)	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Includes two-battery 66 Ah power system, 10-foot coiled cord, four hospital-grade AC outlets, power system user interface, StyleLink™ software, secure CPU compartment							
	EMR Laptop SLA Powered	≤ 17"	≤ 18 lbs (8 kg)	20" (51 cm)	—	—	—	—
EMR SLA Cart features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking) 5-year warranty, excluding electrical/electronic components								
Non-Powered	EMR LCD Non-powered	≤ 22"	≤ 35 lbs (16 kg)	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Includes secure CPU compartment							
	EMR Laptop Non-powered	≤ 17"	≤ 18 lbs (8 kg)	20" (51 cm)	—	—	—	—
EMR Non-powered Cart features include worksurface, secure compartment, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking) 5-year warranty See website for details								

	① EMR LCD Pivot Non-powered	② EMR LCD Arm Non-powered	③ EMR LCD Pivot Powered	④ EMR LCD Arm Powered	⑤ EMR SV40 Laptop Non-powered	⑥ EMR Laptop Non-powered	⑦ EMR Laptop Powered
LiFe US/Canada	—	—	SV42-6302-1 120V60Hz, 40Ah	SV42-6202-1 120V60Hz, 40Ah	—	—	SV42-6102-1 120V60Hz, 40Ah
US/Canada/Mexico	SV41-6300-0	SV41-6200-0	SV42-6301-1 120V60Hz, 66Ah	SV42-6201-1 120V60Hz, 66Ah	SV40-6100-0	SV41-6100-0	SV42-6101-1 120V60Hz, 66Ah
LiFe Europe	—	—	Available 2012	Available 2012	—	—	Available 2012
Europe	SV41-6300-0	SV41-6200-0	SV42-42203 230V50Hz, 66Ah	SV42-42223 230V50Hz, 66Ah	SV40-6100-0	SV41-6100-0	SV42-42404 230V50Hz, 66Ah
LiFe Ireland/United Kingdom	—	—	Available 2012	Available 2012	—	—	Available 2012
Ireland/United Kingdom	SV41-6300-0	SV41-6200-0	SV42-42205 230V50Hz, 66Ah	SV42-42225 230V50Hz, 66Ah	SV40-6100-0	SV41-6100-0	SV42-42406 230V50Hz, 66Ah
LiFe Hong Kong/Malaysia/Singapore	—	—	Available 2012	Available 2012	—	—	Available 2012
Hong Kong/Malaysia/Singapore	SV41-6300-0	SV41-6200-0	SV42-42205 230V50Hz, 66Ah	SV42-42225 230V50Hz, 66Ah	SV40-6100-0	SV41-6100-0	—
LiFe China	—	—	Available 2012	Available 2012	—	—	Available 2012
China	SV41-6300-0	SV41-6200-0	SV42-42209 230V50Hz, 66Ah	SV42-42229 230V50Hz, 66Ah	SV40-6100-0	SV41-6100-0	—
LiFe Australia/New Zealand	—	—	Available 2012	Available 2012	—	—	Available 2012
Australia/New Zealand	SV41-6300-0	SV41-6200-0	SV42-42207 230V50Hz, 66Ah	SV42-42227 230V50Hz, 66Ah	SV40-6100-0	SV41-6100-0	—
Japan	SV41-6300-0	SV41-6200-0	SV42-42213 100V50Hz, 66Ah	SV42-42233 100V50Hz, 66Ah	SV40-6100-0	SV41-6100-0	—
LiFe Saudi Arabia/EU	—	—	Available 2012	Available 2012	—	—	Available 2012
Saudi Arabia/EU	SV41-6300-0	SV41-6200-0	SV42-42217 230V60Hz, 66Ah	SV42-42237 230V60Hz, 66Ah	SV40-6100-0	SV41-6100-0	SV42-42418 230V60Hz, 66h
LiFe Saudi Arabia/UK	—	—	Available 2012	Available 2012	—	—	Available 2012
Saudi Arabia/UK	SV41-6300-0	SV41-6200-0	SV42-42211 230V60Hz, 66Ah	SV42-42231 230V60Hz, 66Ah	SV40-6100-0	SV41-6100-0	SV42-42412 230V60Hz, 66Ah

		Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA
LIFE OR SLA Powered	PHD LCD Powered	≤ 22"	≤ 39 lbs (17,7 kg)	25" (63,5 cm)	25°	24°	90° P/L	MIS-D
	Includes power system, 10-foot coiled cord, hospital-grade AC outlets, power system user interface, StyleLink software, secure CPU compartment, 5" (13 cm) lift monitor pivot							
Non-Powered	PHD Laptop Powered	≤ 17"	≤ 23 lbs (10,4 kg)	20" (51 cm)	—	—	—	—
	Includes power system, 10-foot coiled cord, hospital-grade AC outlets, power system user interface, StyleLink software, secure Laptop compartment							
Non-Powered	PHD LCD Non-powered	≤ 22"	≤ 39 lbs (17,7 kg)	25" (63,5 cm)	25°	24°	90° P/L	MIS-D
	Includes secure CPU compartment, 5" (13 cm) lift monitor pivot							
Non-Powered	PHD Laptop Non-powered	≤ 17"	≤ 23 lbs (10,4 kg)	20" (51 cm)	—	—	—	—
	Includes secure laptop compartment							
PHD Cart features include Auto-locking drawer system with 1, 2, 4, or 6 drawers, worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)								
5-year warranty, excluding electrical/electronic components								
See website for details								



Ergotron's innovative, truly ergonomic and easy-to-maneuver PHD healthcare carts offer caregivers simple, flexible and efficient non-controlled medication management at the point-of-care. Features include an auto-locking drawer system that lets caregivers choose the configuration that best meets their individual needs, sit-to-stand height adjustment, independent screen positioning and an adjustable back-tilt keyboard tray.

	Certification Standard	Certification Mark	Grounded Plug & Outlet
US	UL 60601-1	cTUVus	North American NEMA 5-15P Hospital Grade
Canada	CAN/CSA C22.2 No. 601.1 M90	cTUVus	North American NEMA 5-15P Hospital Grade
Mexico	—	—	North American NEMA 5-15P Hospital Grade
Europe	EN 60601-1	CE	European CEE 7
Ireland/United Kingdom	EN 60601-1	CE	United Kingdom BS 1363
Hong Kong/Malaysia/Singapore	IEC 60601-1	Not Applicable	United Kingdom BS 1363
China	IEC 60601-1	Not Applicable	GB2009-1 GB1002-1
Australia/New Zealand	IEC 60601-1	C-Tick	Australian AS/NZS 3112
Japan	IEC 60601-1	Not Applicable	JIS 8303
Saudi Arabia (EMR SLA)	EN 60601-1	Not Applicable	United Kingdom BS 1363 / European CEE 7

StyleLink™

FREE!

Enterprise Management: **FREE** StyleLink Software secures access to drawers and allows remote monitoring/configuration with established Microsoft tools

EXPERIENCE the difference with our **Global Service Program**
See complete details at www.ergotron.com



	8	9	10	11	12	13	14	15	16	17
	PHD LCD Non-powered 1 drawer	PHD LCD Powered 1 drawer	PHD LCD Powered 2 drawer	PHD LCD Powered 4 drawer	PHD LCD Powered 6 drawer	PHD Laptop Non-powered 1 drawer	PHD Laptop Powered 1 drawer	PHD Laptop Powered 2 drawer	PHD Laptop Powered 4 drawer	PHD Laptop Powered 6 drawer
Life US/Canada	—	SV32-6312-1 120V60Hz, 40Ah	SV32-6322-1 120V60Hz, 40Ah	SV32-6342-1 120V60Hz, 40Ah	SV32-6362-1 120V60Hz, 40Ah	—	SV32-6112-1 120V60Hz, 40Ah	SV32-6122-1 120V60Hz, 40Ah	SV32-6142-1 120V60Hz, 40Ah	SV32-6162-1 120V60Hz, 40Ah
US/Canada/Mexico	SV31-6310-0	SV32-6311-1 120V60Hz, 66Ah	SV32-6321-1 120V60Hz, 66Ah	SV32-6341-1 120V60Hz, 66Ah	SV32-6361-1 120V60Hz, 66Ah	SV31-6110-0	SV32-6111-1 120V60Hz, 66Ah	SV32-6121-1 120V60Hz, 66Ah	SV32-6141-1 120V60Hz, 66Ah	SV32-6161-1 120V60Hz, 66Ah
Europe	SV31-6310-0	SV32-92211 230V50Hz, 66Ah	SV32-92222 230V50Hz, 66Ah	SV32-92224 230V50Hz, 66Ah	SV32-92226 230V50Hz, 66Ah	SV31-6110-0	SV32-92111 230V50Hz, 66Ah	SV32-92122 230V50Hz, 66Ah	SV32-92124 230V50Hz, 66Ah	SV32-92126 230V50Hz, 66Ah
Ireland/United Kingdom	SV31-6310-0	SV32-93211 230V50Hz, 66Ah	SV32-93222 230V50Hz, 66Ah	SV32-93224 230V50Hz, 66Ah	SV32-93226 230V50Hz, 66Ah	SV31-6110-0	SV32-93111 230V50Hz, 66Ah	SV32-93122 230V50Hz, 66Ah	SV32-93124 230V50Hz, 66Ah	SV32-93126 230V50Hz, 66Ah
Hong Kong/Malaysia/Singapore	SV31-6310-0	SV32-6311-3 230V50Hz, 66Ah	SV32-6321-3 230V50Hz, 66Ah	SV32-6341-3 230V50Hz, 66Ah	SV32-6361-3 230V50Hz, 66Ah	SV31-6110-0	SV32-6111-3 230V50Hz, 66Ah	SV32-6121-3 230V50Hz, 66Ah	SV32-6141-3 230V50Hz, 66Ah	SV32-6161-3 230V50Hz, 66Ah
China	SV31-6310-0	SV32-6311-5 230V50Hz, 66Ah	—	SV32-6341-5 230V50Hz, 66Ah	—	SV31-6110-0	SV32-6111-5 230V50Hz, 66Ah	—	SV32-6141-5 230V50Hz, 66Ah	—
Australia/New Zealand	SV31-6310-0	SV32-6311-4 230V50Hz, 66Ah	—	SV32-6341-4 230V50Hz, 66Ah	—	SV31-6110-0	SV32-6111-4 230V50Hz, 66Ah	—	SV32-6141-4 230V50Hz, 66Ah	—
Japan	SV31-6310-0	SV32-6311-6 100V50Hz, 66Ah	—	SV32-6341-6 100V50Hz, 66Ah	—	SV31-6110-0	SV32-6111-6 100V50Hz, 66Ah	—	SV32-6141-6 100V50Hz, 66Ah	—
Saudi Arabia/EU	SV31-6310-0	SV32-6311-8 230V60Hz, 66Ah	SV32-6321-8 230V60Hz, 66Ah	SV32-6341-8 230V60Hz, 66Ah	SV32-6361-8 230V60Hz, 66Ah	SV31-6110-0	SV32-6111-8 230V60Hz, 66Ah	SV32-6121-8 230V60Hz, 66Ah	SV32-6141-8 230V60Hz, 66Ah	SV32-6161-8 230V60Hz, 66Ah
Saudi Arabia/UK	SV31-6310-0	SV32-6311-7 230V60Hz, 66Ah	SV32-6321-7 230V60Hz, 66Ah	SV32-6341-7 230V60Hz, 66Ah	SV32-6361-7 230V60Hz, 66Ah	SV31-6110-0	SV32-6111-7 230V60Hz, 66Ah	SV32-6121-7 230V60Hz, 66Ah	SV32-6141-7 230V60Hz, 66Ah	SV32-6161-7 230V60Hz, 66Ah

FREE, industry leading StyleLink Software with enterprise capabilities

StyleLink's three-part software package (Enterprise, Client, Graphing Tool) offers broad system and platform compatibility for global healthcare customers deploying Ergotron StyleView Carts with power.

Extend Asset Life Cycle

Optimizes balance between runtime and cycle life

Helps prevent deep discharging, which maximizes battery cycle life and minimizes battery replacement cost

Proactive Power System Management

Eliminate surprises through use of diagnostic tools, simplifying power system management and reducing time required to fix problems

Email alerts sent by each cart at different stages of battery life facilitate proactive power system management

Remote configuration: remotely configure or change email alerts, names, passwords and communication thresholds on each cart, or a group of carts, using your MS Network

Reduce Total Cost of Ownership

Reduce costs for maintenance; eliminate need for expensive onsite technical support by leveraging diagnostic capabilities. Simply email StyleLink's history data file to Ergotron Tech Support and they will help troubleshoot power system performance issues

Plan battery replacement based on custom views or email alerts, rather than being surprised by a (higher cost) replacement situation during caregivers' active work hours

Enterprise Capabilities

Remote enterprise monitor: access your carts across WAN, LAN, or VPN to get real-time information

Custom views: view those carts that meet your specific rules, e.g., carts unplugged, carts not connected, carts not reporting in the last 7 days, etc.

Group view: organize your carts into groups and subgroups. Set views for specific areas of your facilities; troubleshoot power system performance issues

Advanced Drawer Management

Each drawer individually controlled with PIN; program locally or remotely via enterprise

Drawer event log and report capability

Two points of console access for PIN updates: Unit Clerk or IT


Bifocal viewing adjustment for caregivers and true ergonomics for seated work



Get real-time centralized control over mobile computing deployments across multi-facility healthcare campuses.



- Dynamic Icon**
 - Green/Yellow/Red
 - Corresponds to Charge Remaining
- Charge Remaining**
 - 0-100%
 - Color Coded to Match RUI
- Percent Load**
 - 0-100%
 - Color Coded to Show Preferred Load Range
- Power Source**
 - Line Mode
 - Battery Mode
 - Not Connected
- System Fault**
 - No Fault
 - Temperature High
 - Not Connected
- Time Remaining**
 - Hours, Minutes
 - No Load
 - Charging
- System Metrics In Real Time**
- Battery**
 - Good
 - Replace
 - Unknown
- Drawer**
 - Normal
 - Illegal Drawer Opening
 - Drawer Fault



Accessories



SV Cart LCD Pan Pivot Kit 97-650



SV Dual Display Kit 97-574



Large Utility Shelf 97-540-053



Universal Tablet Cradle 80-106-085



StyleView IV Pole Clamp Kit 97-632



StyleView Medical Drawer Tray Accessory 97-450



SV Rear VESA Mount Kit 97-512-009



T-Slot Bracket 60-575-003



Interface Bracket Kit 60-587-207



Utility Shelf 97-507-216



Coiled Extension Cord Accessory Kit 97-464 (Available North America)



Universal CPU Holder 80-105-064

Accessories in use



SV cart with small Sharps container and wall mount bracket attached via Ergotron's VESA Mount Kit 97-512-009



SV cart with large Sharps container (5 quart) and wall mount bracket attached via Ergotron's VESA Mount Kit 97-512-009



SV cart with waste basket (5 quart) and wall mount bracket attached via Ergotron's VESA Mount Kit 97-512-009



SV cart with medication cup dispenser adhered to 5" lift



SV cart with IV Pole attached via Ergotron's StyleView IV Pole Clamp Kit



SV cart with scanner/printer placed on Ergotron's Large Utility Shelf 97-540-053 and attached with the T-Slot Bracket 60-575-003

Ergotron Service Program

Save time and money by allowing the experts to install and service Ergotron products



- Improve asset management and extend asset life cycle
- Reduce maintenance costs
- Safeguard operational efficiencies and maintain uptime
- Resolve potential problems in a timely manner
- Free up valuable resources to focus on your business
- Maximize product life and achieve optimum product conditioning, reducing total cost of ownership

Planned Services	Part Number US & Canada	Part Number APAC w/o China	Part Number China	Part Number EMEA	Power	Carts Per Site
Site Readiness Full Day Visit	SRVC-SR-01	SRVC-SR-01	SRVCC-SR-01	SRVCE-SR-01	—	—
Integration StyleView Carts	SRVC-CINP-01A	SRVC-CINP-01A	SRVCC-CINP-01	SRVCE-CINP-01A	Non-powered	10-99
	SRVC-CINP-01B	SRVC-CINP-01B		SRVCE-CINP-01B	Non-powered	100+
	SRVC-CIP-01A	SRVC-CIP-01A	SRVCC-CIP-01	SRVCE-CIP-01A	Powered	10-99
	SRVC-CIP-01B	SRVC-CIP-01B		SRVCE-CIP-01B	Powered	100+
Integration Non StyleView Carts	SRVC-PI-01	SRVC-PI-01	SRVCC-PI-01	SRVCE-PI-01	—	25+
	SRVC-PI-02	SRVC-PI-02	SRVCC-PI-02	SRVCE-PI-02	—	10+
	SRVC-PI-03	SRVC-PI-03	SRVCC-PI-03	SRVCE-PI-03	—	10+
Integration Single Cart	SRVC-SPI-1	—	—	—	Powered & Non-powered	1
Product Recycling Includes Freight	SRVC-RCYL-F	—	—	—	—	10+
Product Recycling Customer Pays Freight	SRVC-RCYL-NF	—	—	—	—	—
StyleLink Remote Analysis StyleView Carts	SRVC-STYLK-01	SRVC-STYLK-01	SRVCC-STYLK-01	SRVCE-STYLK-01	—	—
Conversion to Three-Module Tablet Management Carts	SRVC-TMC-01	SRVC-TMC-01	SRVCC-TMC-01	SRVCE-TMC-01	Powered	5+
Power System Conversion SLA to LiFe StyleView Carts	SRVC-LiFeC-SV32 SRVC-LiFeC-SV42	—	—	—	Powered	10+
Preventative Maintenance, One Visit	SRVC-PMPNO-01	SRVC-PMPNO-01	SRVCC-PMPNO-01	SRVCE-PMPNO-01	Powered	10+
Preventive Maintenance Visit, 3 Year StyleView Carts	SRVC-PMNP-03 (Canada only)	SRVC-PMNP-03	SRVCC-PMNP-03	SRVCE-PMNP-03	Non-powered	10+
	SRVC-PMP-03 (Canada only)	SRVC-PMP-03	SRVCC-PMP-03	SRVCE-PMP-03	Powered	10+
Integration & Preventive Maintenance Visit, 3 Year Combines Integration and 3-Year Preventive Maintenance StyleView Carts	SRVC-ANP-03A (Canada only)	SRVC-ANP-03A	SRVCC-ANP-03A	SRVCE-ANP-03A	Non-powered	10-99
	SRVC-ANP-03B (Canada only)	SRVC-ANP-03B	—	SRVCE-ANP-03B	Non-powered	100+
	SRVC-AP-03A (Canada only)	SRVC-AP-03A	SRVCC-AP-03A	SRVCE-AP-03A	Powered	10-99
	SRVC-AP-03B (Canada only)	SRVC-AP-03B	—	SRVCE-AP-03B	Powered	100+
Complete Service, 3 Year Combines Integration and 3-Year Preventive Maintenance with Battery Replacement StyleView Carts	SRVC-COMP-03 (Canada only)	SRVC-COMP-03	—	SRVCE-COMP-03	Powered	10+
Annual Service Contracts	Part Number US Only	Part Number APAC w/o China	Part Number China	Part Number EMEA	Power	Carts Per Site
Bronze Non-Powered Carts and Wall Mount Products	SRVC-AMUNP-B-POS	—	—	—	Non-powered	10+
Silver SLA StyleView Carts	SRVC-AMUSLA-S-POS	—	—	—	Powered	10+
Gold SLA StyleView Carts	SRVC-AMUSLA-G-POS	—	—	—	Powered	10+
Gold LiFe StyleView Carts	SRVC-AMULIF-G-POS	—	—	—	Powered	10+
Platinum SLA StyleView Carts	SRVC-AMUSLA-P-POS	—	—	—	Powered	10+
Platinum LiFe StyleView Carts	SRVC-AMULIF-P-POS	—	—	—	Powered	10+



Join the Uprising! Just Stand.

Get inspired!

For those stuck long hours sitting at a computer, standing a little more each day burns extra calories, tones muscles, improves posture, increases blood flow and ramps up metabolism. Find the calculator online at burncalories.juststand.org

Calorie-Burn Calculator
Just standing while doing office work promotes fitness. See the difference in calorie-burn. Over time it adds up!


Enter your weight: lbs

Enter time worked in office: hours

If Standing while working: 1465 calories burned

If Sitting while working: 1282 calories burned

Calorie-burn increase: 183 calories



“My calories burned per day went up by about 400 ... Who would have thought such a simple thing would make such a huge difference?”

~ Clare H., major PC company

The science behind the need to stand:

- A January 2010 British Journal of Sports Medicine article suggests that people who sit for long periods of time have an increased risk of disease.
- An American Cancer Society study, published in the July 2010 American Journal of Epidemiology, of 120,000 adults suggests that the more people sit, the shorter their average life span. What's more, the findings were independent of physical activity level such as with people who exercise outside of work.
- A 2010 University of Queensland, Australia study found that even when adults meet physical activity guidelines, sitting for prolonged periods can compromise metabolic health.


The key to standing more is to assemble a system that matches your body and your work routine.



Sitting Disease by the numbers

**Our modern sedentary lifestyles,
both at home and in the workplace,
are costly for us and for our employers.**

Average hours of seated commute
+ average hours of seated homelife = too much sitting!



A 2008 Vanderbilt University study of 6,300 people published in the *American Journal of Epidemiology* estimated that the average American spends 55% of waking time (7.7 hours per day) in sedentary behaviors such as sitting.

Healthy mounting solutions for the entire enterprise

1 Reception



2 Waiting Area



3 Exam Room



4 Nurse Station



5 High-Traffic Area



6 Back Office



7 Operating Room



8 Cafeteria



13 In-Patient Floor



12 Radiology




11 Intensive Care



10 Conference Room




9 Emergency



Care for the caregiver and back-office staff

See the payback when you stand up for your staff

For those stuck long hours sitting at a computer, standing a little more each day burns extra calories, tones muscles, improves posture, increases blood flow and ramps up metabolism.



© 2012 Ergotron, Inc. Made in US rev. 03/29/2012 870-01-012-EA Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sales

Tokyo, Japan
www.ergotron.com
apacustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com

